

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

Work Order ID 138923

Friday, November 13, 2015 11:36:23 AM

138923

Page 2

Item ID: D2893-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Support
Start Date: 11/13/2015 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 11/13/2015 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							DAS 41 9-89
130						10			
HandFXtube	Memo	0.00							15-12-10
Hand Finishing Crosstubes	Per note 8 on page 1 of dwg D2893, Prep inner concave surface of support and apply 3M Scotch-Weld as per dwg. 24h of cure time.								
	132391								
140	QC3- Inspect Part Finish	0.00							
140						5	15-12-11	PD	
QC	Memo	0.00							
Quality Control									
170	Identify as per dwg & Stock Location: LG50	0.00							DAS 41 9-89
170						10			
Packaging	Memo	0.00							15-12-16
Packaging	LOCATION : LG050,								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 138923***138923***

Page 3

Friday, November 13, 2015 11:36:23 AM

Item ID: D2893-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 11/13/2015 Start Qty: 10.00

10

Cust Item ID:

Required Date: 11/13/2015 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.02

Quality Control

MCJ

DEC 17 2015

MCJ

DEC 17 2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Friday, November 13, 2015 11:36:22 AM

Page 1

Work Order ID: 138923

138923

Parent Item: D2893-1

D2893-1

Parent Item Name: Support

Start Date: 11/13/2015

Required Date: 11/13/2015

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP: C02.11.26Reformat; Added P/OKJ

IPP D 06.04.19 removed alodine EC

IPP Rev:E Added priming as per Rev B 07-04-30 JLM

IPP F 08.03.19 Re-format EC verified by: DD

IPP Rev:G 08-05-15 add QC14 DD verified by:EC

IPP Rev:H

11.08.04 as per dwg rev.C DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
DSK078		Manufactured	No			100	Each	6.0000	0.5	6			

DSK078

D2893-1 Turning Detail

DAS
44
9-88

15/12/03

Location

Loc Qty

Loc Code

MAT060

6

✱136575

6

5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	☐ OTHER : _____			

DART AEROSPACE LTD		Work Order: 138923
Description: Ø2.750 Support		Part Number: D2893-1
Inspection Dwg: D2893	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	2.985	3.005		2.990	2.991	2.993	2.992	2.992
AB	0.440	0.460		.440	.440	.440	.440	.440
AC	0.125	0.160		.137	.138	.139	.138	.137
AD	0.040	0.060		.050	.050	.050	.050	.050
AE	0.188	0.193		.188	.188	.188	.188	.188
AF	0.125	0.160		.138	.138	.140	.140	.139
AG	0.140	0.160		.150	.147	.148	.148	.147
AH	1.360	1.400		1.377	1.377	1.377	1.378	1.378
AI	0.040	0.060		.053	.055	.050	.051	.048
AJ	1.190	1.230		1.220	1.221	1.219	1.220	1.220
AK	0.010	0.020		.015	.015	.015	.015	.015
AL	0.053	0.073		.063	.063	.063	.063	.063
AM	0.240	0.260		.250	.250	.250	.250	.250
AN	2.518	2.538		2.528	2.531	2.530	2.530	2.532
AO	84.39	90.39		87.39	87.39	87.39	87.39	87.39
AP	0.261	0.266		.261	.261	.261	.261	.261
AQ	0.053	0.073		.063	.063	.063	.063	.063
AR								
AS								
AT								
Accept/Reject				✓	✓	✓	✓	✓

Measured by: 44	Date: 15/12/07
------------------------	-----------------------

Audited by: JI	Date: 15-12-10
-----------------------	-----------------------

Preliminary Approval:	Date:
------------------------------	--------------

Rev	Date	Change	Revised by	Approved
A	02.12.13	New Issue	KJ/RF	
B	07.05.08	Dimension AP revised	KJ/JLM	
C	08.04.21	Reformat	KJ/JLM	
D	12.07.31	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order: 138923
Description: Ø2.750 Support		Part Number: D2893-1
Inspection Dwg: D2893	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	6	7	8	9	10
HAAS Section								
AA	2.985	3.005		2.993	2.992	2.992	2.993	2.993
AB	0.440	0.460		.440	.440	.440	.440	.440
AC	0.125	0.160		.138	.138	.138	.138	.138
AD	0.040	0.060		.050	.050	.050	.050	.050
AE	0.188	0.193		.188	.188	.188	.188	.188
AF	0.125	0.160		.140	.140	.139	.138	.138
AG	0.140	0.160		.147	.147	.147	.149	.148
AH	1.360	1.400		1.377	1.378	1.378	1.375	1.378
AI	0.040	0.060		.047	.048	.046	.047	.048
AJ	1.190	1.230		1.219	1.220	1.220	1.217	1.221
AK	0.010	0.020		.015	.015	.015	.015	.015
AL	0.053	0.073		.063	.063	.063	.063	.063
AM	0.240	0.260		.250	.250	.250	.250	.250
AN	2.518	2.538		2.532	2.532	2.531	2.532	2.530
AO	84.39	90.39		87.39	87.39	87.39	87.39	87.39
AP	0.261	0.266		.261	.261	.261	.261	.261
AQ	0.053	0.073		.063	.063	.063	.063	.063
AR								
AS								
AT								
DAS Accept/Reject				✓	✓	✓	✓	✓





Measured by: 44 0.89	Date: 15/12/08
--------------------------------	-----------------------

Audited by: JH	Date: 15-12-10
-----------------------	-----------------------

Preliminary Approval:	Date:
------------------------------	--------------

Rev	Date	Change	Revised by	Approved
A	02.12.13	New Issue	KJ/RF	
B	07.05.08	Dimension AP revised	KJ/JLM	
C	08.04.21	Reformat	KJ/JLM	
D	12.07.31	Dwg Rev updated	KJ	

8 7 6 5 4 3 2 1



- NOTES:**
- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
MIN UTS = 170 KSI (38 HRC)
(REF DART SPEC. D6104)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 (REF X.XXX = ±0.010) UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: DART LOGO (PER DART SUPPLIED GRAPHIC) AND PART NUMBER IN THIS AREA WITH 0.125 HIGH LETTERING
0.010-0.020 DEEP, PER DART QSI 044 6.3.
 - 7) WEIGHT: 0.78 lb
 - 8) FOR THE ENTIRE INNER CONCAVE SURFACE:
ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03" TO 0.05" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.

D2893-1 SUPPORT

C	RMV FINISH, ADD 3M 2216, ADD H925 MATL OPTION	CP	11.07.15
B	UPDATE DIMS AS MFG, PRIME INSIDE	PH	07.03.16
A	NEW ISSUE	CP	01.01.10
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>P</i>		
DRAWN	<i>P</i>		
CHECKED	<i>ASS</i>		
MFG. APPR.	<i>ASS</i>		
APPROVED	<i>ASS</i>		
DE APPR.	<i>ASS</i>		
DATE	11.07.15		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D2893	REV. C SHEET 1 OF 1
TITLE Ø2.750 SUPPORT	SCALE NTS
COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	